

HPE Edgeline EL8000 Converged Edge System



What's new

- 10G SFP+ switch for high-speed data uplink.
- Cable kits for state-of-the-art GPUs and FPGAs.
- Storage bay infrastructure can host up to eight high-capacity drives for data-intensive workloads.
- 10GbE network mezzanine option.
- HPE Trusted Supply Chain
- Titanium Power Supply Kit

Overview

Want to multiplex server blade data on a 10G data plane?

The HPE Edgeline EL8000 Converged Edge System supports a 10G SFP+ switch and 10GbE network mezzanine option to provide a high-speed interface for faster data transfers. In addition, the storage bay and connectivity for your specific infrastructure allow high-capacity data logging and analytics on that data.

Features

Compact Ruggedized Form Factor for Deployments Far from a Data Center

Designed specifically for space-constrained environments, HPE Edgeline EL8000 Converged Edge System has a unique 17-inch depth form factor that fits into limited infrastructures too small for other x86 systems.

Data sheet Page 2

The chassis has an 8.7-inch width, which brings additional flexibility for deploying at the deep edge, whether it is in a telco environment, a mobile vehicle, or a manufacturing floor.

HPE trusted supply chain provides a new first line of defense against cyberattackers with select servers built to the world's toughest security standards in secured facilities.

HPE trusted supply chain brings together enterprise security, processes and people to deliver protection for your most sensitive applications and data even before your server is built.

Modular Design Provides Broad Configuration Possibilities

The HPE Edgeline EL8000 Converged Edge System offers flexibility of choice for compute density or for I/O expansion.

These compact, ruggedized systems offer high-performance capacity to support the use cases that matter most, including media streaming, IoT, AI, and video analytics.

The HPE Edgeline EL8000 Converged Edge System is a versatile platform that enables edge compute transformation. As use case requirements change, the system's flexible and modular architecture can scale to meet them.

Seamless Management and Security Features with HPE Edgeline Chassis Manager

The HPE Edgeline EL8000 Converged Edge System features the HPE Edgeline Chassis Manager which limits downtime by providing system-level health monitoring and alerts.

Increase efficiency and reliability by managing the chassis fan speeds for each server blade installed in addition to monitoring the health and status of the power supply

Simplify firmware upgrade management and implementation with HPE Edgeline Chassis Manager.

10G SFP+ Switch and Support for High-Capacity Data Storage

HPE Edgeline EL8000 Converged Edge System features a switch which allows high-speed data backhaul.

Certified components in a telecommunication network improve reliability, security, and safety, while building trust in the users of the equipment.

The HPE Edgeline Converged Edge Systems options feature a storage bay that allows up to eight high-capacity drives to store data for intensive workloads such as autonomous vehicle data logging and information security.

The HPE Edgeline Converged Edge Systems Options feature a Storage Bay that allows up to 8 high-capacity drives to store data for intensive workloads such as autonomous vehicle data logging and information security.

Data sheet Page 3

Technical specifications	HPE Edgeline EL8000 Converged Edge System
High-density compute nodes	4U design for either/or HPE ProLiant e910 and e920 1U Server Blades, HPE ProLiant e910 and e920d 2U Server Blades.
Storage	Storage is configured on the HPE ProLiant e910 and e920 Server Blades.
Mechanical and power	Height - 8.3 inches (5U) (21.2 cm), Width - 8.7 inches (22.1 cm), Depth - 17 inches (43.2 cm) typical Weight is 50 lb to 58 lb (22.7 kg- 26.3 kg), Rack Mount possible, 264VAC, 1500W, -48DC, 1500W 1+1 redundant power, Titanium Power Supply Kit.
Environmental, shock and vibration	Extended operating temperature from 0°C up to 55°C (0°F up to 131°F) (depending on configuration), Storage -30 to 60°C (-22°F to 140°F) 95% non-condensing humidity Operating Shock, IEC 60068-2-27, 30G half-sine, 11ms duration Operating Vibration, IEC 60068-2-64, 3Grms random 5 ~ 500Hz one hour per axis
Product dimensions (imperial)	8.3 x 8.7 x 17 in
Weight	50 - 58 lb
Warranty	3-Year Parts, 3-Year Labor, 3-Year Onsite support. Additional information regarding worldwide limited warranty and technical support is available at: https://h20564.www2.hpe.com/hpsc/wc/public/home . Additional Hewlett Packard Enterprise support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to hpe.com/services/support.


Data sheet Page 4

For additional technical information, available models and options, please reference the QuickSpecs

Make the right purchase decision. Contact our presales specialists.

Call for availability









HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions

Advisory & Professional services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Support services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- **HPE Complete Care Service:** a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- HPE Tech Care Service: the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.
- HPE Multivendor Services: Single point of accountability for managing on-site hardware
 and software support for multivendor products. HPE experts help manage your IT across
 technologies and platforms for HPE and non-HPE technologies, acting as the single point
 of contact for your IT operational needs.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GreenLake

HPE GreenLake edge-to-cloud platform is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them here.



© Copyright 2025 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product. PSN1011622898USEN, July, 2025.